



Congress of the United States
House of Representatives
Washington, DC 20515

ICE AURORA CONTRACT DETENTION CENTER ACCOUNTABILITY REPORT ELECTRONIC REQUEST

Date: 4 August 2021
DAY MONTH YEAR

Requested by: Kevin Vargas, Community Media and Constituent Liaison
NAME POSITION

Transmitted by: ICE Denver Field Office Executive Review Unit
NAME POSITION

Were electronic files sent?

YES ☒

NO ☐

How many people are currently being cohorted/quarantined due to sickness?

Number of people currently cohorted/quarantined due to sickness:

30

FORMAL COUNTS: 2.8 V. A.

How many people were most recently formally counted in this facility?

Number of people most recently formally counted in the facility:

733

How many people formally counted in this facility describe themselves as the following gender?

Female:

Male:

Nonbinary:

Prefer not to say:



How many people formally counted in this facility describe themselves as transgender?

Number of people that describe themselves as transgender:

How many people have been brought into the facility this week?

Number of people brought into the facility this week:

How many people have left the facility this week?

Number of people who left the facility this week:

How many people and where did those who left the facility go?

Released into community:

Formally removed from the United States:

Moved to other facility:

Other _____:

How many people are currently being housed in the Annex?

Number of people who are being housed in the Annex:

Female:

Male:

COVID-19 CONFIRMED CASES*:

	This week :	Total to date since March 30, 2020:
Positive Tests in GEO Facility:	<input type="text" value="3"/>	<input type="text" value="591"/>
ICE Detainees under COVID monitoring:	<input type="text" value="28"/>	<input type="text" value="431"/>
ICE Employees:	<input type="text" value="0"/>	<input type="text" value="2"/>
GEO Employees:	<input type="text" value="1"/>	<input type="text" value="137"/>

DOCUMENTS RECEIVED:

*See Supplemental Notes

Daily Kitchen Opening and Closing Checklists

RECEIVED ☒

NOT RECEIVED ☐

Daily Foods Production Service Records

RECEIVED ☒

NOT RECEIVED ☐

Temperature Logs

RECEIVED ☒

NOT RECEIVED ☐

Law and Leisure Library Logs

RECEIVED ☒

NOT RECEIVED ☐

Medical Staffing Update

RECEIVED ☒

NOT RECEIVED ☐

*All reports concerning infectious disease are confirmed with the Tri-County Health Department and/or the Aurora Fire Department

SUPPLEMENTAL NOTES:

Request for information made on August 2, 2021. All population numbers current as of August 6, 2021.

KITCHEN DOCUMENTS:

Opening/Closing Checklists and Menu provided, see attached documents.

MEDICAL:

Johnny Choate, Facility Administrator, provided the following weekly update on medical staffing which is current as of August 4, 2021:

- 1- Health Services Administrator
- 2- PA's
- 1- Medical Doctor
- 14 - RNs
- 9 – LPNs*
- 2- Psychologist
- 1- Licensed Clinical Social Worker
- 4- Medical Records Clerks
- 1- X-ray Technician
- 4- Telepsychiatrists
- 2- Dentists (part-time; 40 hours/week total)
- 1- Dental Assistant

*Medical staff change

TEMPERATURE CHECKS:

Logs provided; see attached documents.

LAW LIBRARY:

Logs provided for July 23, 2021- July 30, 2021 but not attached as they contain personally identifiable information. Logs record law library usage by dorm, which ranged from three to six detainees visiting the law library at each provided opportunity. Logs indicate that dorms that did not use the library were either new intake dorms, on restriction, or detainees were offered time in the library and refused.

COVID-19 UPDATES:

Aurora Fire Department received an update from the GEO Facility Administrator related to COVID-19. They informed us that they have zero (0) positive cases for ICE staff, and one (1) positive case amongst the GEO staff. They have also reported three (3) positive cases this week amongst the ICE detainees, and zero (0) cases amongst USMS detainees.

Official COVID-19 statistics for ICE facilities is provided via ICE.gov. The numbers in this report are accurate as of August 6, 2021.

Statistics for Total Individuals Housed in GEO Facility and GEO Staff verified via the Aurora Fire Department and is current as of August 5, 2021.

Congressman Crow's office confirms with TCHD and AFD about new COVID-19 positive cases.

ADULT CYCLE MENUS

These menus are proprietary and intended solely for the use of GEO Group Facilities.
Dissemination, forwarding or copying of these menus are strictly prohibited.

MENU DATE:	5/15/2021	CYCLE 4	WEEK-AT-A-GLANCE
	BREAKFAST	LUNCH	DINNER
MONDAY	Oatmeal Scrambled Eggs Potatoes Jelly or Salsa Biscuit or Tortillas Margarine Sugar Coffee Milk 2 %	Chicken Fajitas Grilled Peppers & Onions Rice Pinto Beans Tortillas Lemon Cake Fortified Sugar Free Tea	Beef Patty on Bun Hash Browns Coleslaw Shredded Lettuce Onion Ketchup Salad Dressing Fortified Sugar Free Beverage
TUESDAY	Dry Cereal Pancakes Syrup Turkey Ham Margarine Sugar Coffee Milk 2 %	Chicken Fried Steak Cream Gravy Rice Green Beans Dinner Roll Margarine Fortified Sugar Free Tea	Chicken Spaghetti Beans Peas and Carrots Green Salad/ Dressing Dinner Roll Margarine Spice Cake Fortified Sugar Free Beverage
WEDNESDAY	Farina Eggs Cream Gravy Biscuit/Margarine Sugar Coffee Milk 2 %	Taco Casserole Rice Pinto Beans Salsa Green Salad w/ Dressing Cornbread/Margarine Fortified Sugar Free Tea	Chicken Leg Quarter Potatoes Au Gratin Mixed Vegetables Beans Dinner Roll / Margarine Bread Pudding Fortified Sugar Free Beverage
THURSDAY	Oatmeal Turkey Ham Coffee Cake Fruit Margarine Sugar Coffee Milk 2 %	Fideo w/ Meat Sauce Corn Green Beans Green Salad w/ Dressing Roll Margarine Fortified Sugar Free Tea	Turkey Bologna Beans Macaroni Salad Lettuce / Onion Salad Dressing Sub Roll Fruit Fortified Sugar Free Tea
FRIDAY	Dry Cereal French Toast Syrup Breakfast Sausage Margarine Sugar Coffee Milk 2 %	Chicken Nuggets Rice Mixed Vegetables Pinto Beans Roll Margarine Fortified Sugar Free Tea	Turkey Hot Dogs / Buns Chili Beans Potato Salad Coleslaw Onion Mustard Fruit Cobbler Fortified Sugar Free Beverage
SATURDAY	Oatmeal Scrambled Eggs Breakfast Sausage Jelly Biscuits Margarine Sugar Coffee Milk 2 %	Tamale Pie Rice Beans Cole Slaw Cornbread w/ Margarine Pineapple Cake Fortified Sugar Free Tea	Chicken Stir Fry Rice Carrots Bread Margarine Yellow Cake Fortified Sugar Free Beverage
SUNDAY	Dry Cereal Eggs w/ Breakfast Sausage Grilled Potatoes Salsa Tortillas Sugar Coffee Milk 2 %	Turkey, Sliced Potato Salad Coleslaw Lettuce Onion Mustard / Mayo Bread Brownie Fortified Sugar Free Beverage	Enchilada Casserole Spanish Rice Pinto Beans Salsa Salad/ Dressing Cornbread Margarine Fortified Sugar Free Beverage

SUBSTITUTIONS OF EQUAL VALUE MAY BE MADE AS NEEDED BY THE FOOD SERVICE MANAGER

Signature on file / 811291
Corporate Manager Food Service Menu Systems/Dietitian





FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 7-31-21

Time: 0300 (AM) Time: 1230 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft		✓			
Workers reported to work, no open sores		✓		✓	
no skin infections		✓		✓	
no diarrhea		✓		✓	
Kitchen is in good general appearance		✓		✓	
All kitchen equipment operational & clean		✓		✓	
All tools and sharps inventoried		✓		✓	
All areas secure, lights out, exits locked				✓	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		150	180	
and chemical agent used in Final Rinse	Lunch		151	185	
	Dinner		151	185	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		110	112	200 ppm
	Lunch		112	115	200 ppm
	Dinner		112	115	200 ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-10.5	36.4	37.4
Record temperatures, Freezer and Walk-ins	PM		-9.4	38.5	39.3
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		70	70	
Water Temps & Handwash Areas	AM	PM			
	105-120 °F	105-120 °F			
	110	120			

Signature, Cook Supervisor (AM)

DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 7/30/21

Time: 7:40

AM

Time: 1920 PM

Shift Checklist	AM		PM		Comments	
	No	Yes	No	Yes		
All areas secure, no evidence of theft		✓				
Workers reported to work, no open sores		✓		✓		
no skin infections		✓		✓		
no diarrhea		✓		✓		
Kitchen is in good general appearance		✓		✓		
All kitchen equipment operational & clean		✓		✓		
All tools and sharps inventoried		✓		✓		
All areas secure, lights out, exits locked				✓		
DISH MACHINE	Temperature		Wash 150+		Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		155		180	
and chemical agent used in Final Rinse	Lunch		150		188	
	Dinner		150		185	
POT and PAN SINK	Temperature		Wash 110 °F+		Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		113		113	200 ppm
	Lunch		112		115	200 ppm
	Dinner		112		115	200 ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below		Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-7.6		37.4	37
Record temperatures, Freezer and Walk-ins	PM		-6.5		38.3	39.2
DRY STORAGE	Temperature 45-80 °F		Spice Room		Store Rm	
Record temperatures Dry Storage Areas	AM		70		70	
Record temperatures, Dry Storage Areas	PM		70		70	
Water Temps & Handwash Areas	AM		PM			
	105-120 °F		105-120 °F			
	115		111			

Signature, Cook Supervisor (AM)

DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 7/29/21

Time: 3:11 AM Time: 1:50 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft		✓			
Workers reported to work, no open sores		✓		✓	
no skin infections		✓		✓	
no diarrhea		✓		✓	
Kitchen is in good general appearance		✓		✓	
All kitchen equipment operational & clean		✓		✓	
All tools and sharps inventoried		✓		✓	
All areas secure, lights out, exits locked				✓	
DISH MACHINE	Temperature		Wash 150+		Rinse 180+
Temperature according to manufacturer's specifications	Breakfast		136		181
and chemical agent used in Final Rinse	Lunch		155		186
	Dinner		155		185
POT and PAN SINK	Temperature		Wash 110 °F+		Rinse 110 °F+
Final Rinse Temps determined by chemical agent used	Breakfast		114		116
	Lunch		112		115
	Dinner		112		115
FREEZER and WALK-IN	Temperature		Freezer 0°F or below		Walk-in 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-6.7		36.9
Record temperatures, Freezer and Walk-ins	PM		-5.3		38.2
DRY STORAGE	Temperature 45-80 °F		Spice Room		Store Rm
Record temperatures Dry Storage Areas	AM		70		68
Record temperatures, Dry Storage Areas	PM		70		70
Water Temps & Handwash Areas	AM		PM		
	105-120 °F		105-120 °F		
	115		111		

Signature, Cook Supervisor (AM)

DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 7/28/21

Time: 0300 AM Time: 1900 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft		X			
Workers reported to work, no open sores		X		X	
no skin infections		X		X	
no diarrhea		X		X	
Kitchen is in good general appearance		X		X	
All kitchen equipment operational & clean		✓		X	
All tools and sharps inventoried		✓		X	
All areas secure, lights out, exits locked				X	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		165	182	
and chemical agent used in Final Rinse	Lunch		157	180	
	Dinner		157	185	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		115	116	200 ppm
	Lunch		114	118	200 ppm
	Dinner		114	118	200 ppm
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-7.2	37.9	38.8
Record temperatures, Freezer and Walk-ins	PM		-6.3	38.1	38.7
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		68	70	
Water Temps & Handwash Areas	AM	PM			
	105-120 °F	105-120 °F			
	115	111			

Signature, Cook Supervisor (AM)

7/28/21
DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 07-27-21

Time: 0300

(AM)

Time: 1300 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft		X			
Workers reported to work, no open sores		X		X	
no skin infections		X		X	
no diarrhea		X		X	
Kitchen is in good general appearance		X		X	
All kitchen equipment operational & clean		X		X	
All tools and sharps inventoried		X		X	
All areas secure, lights out, exits locked				X	
DISH MACHINE	Temperature		Wash 150+	Rinse 180+	
Temperature according to manufacturer's specifications	Breakfast		150	180	
and chemical agent used in Final Rinse	Lunch		154	180	
	Dinner		154	180	
POT and PAN SINK	Temperature		Wash 110 °F+	Rinse 110 °F+	200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast		110	110	200 ppm
	Lunch		110	112	200 ppm
	Dinner		110	112	
FREEZER and WALK-IN	Temperature		Freezer 0°F or below	Walk-in 35-40 °F	Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM		-6.9	36.4	40.0
Record temperatures, Freezer and Walk-ins	PM		-5.4	36.4	39.7
DRY STORAGE	Temperature 45-80 °F		Spice Room	Store Rm	
Record temperatures Dry Storage Areas	AM		68	68	
Record temperatures, Dry Storage Areas	PM		67	65	
Water Temps & Handwash Areas	AM	PM			
	105-120 °F	105-120 °F			
	110	111			

Signature, Cook Supervisor (AM)

DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE



FOOD SERVICE
UNIT: 195- AURORA KITCHEN

OPENING and CLOSING CHECKLIST

Date: 07-26-21

Time: 0300 (AM) Time: 1200 PM

Shift Checklist	AM		PM		Comments
	No	Yes	No	Yes	
All areas secure, no evidence of theft		X			
Workers reported to work, no open sores		X		X	
no skin infections		X		X	
no diarrhea		X		X	
Kitchen is in good general appearance		X		X	
All kitchen equipment operational & clean		X	X	X	LIGHT IN PRODUCE COOLER OUT.
All tools and sharps inventoried		X		X	
All areas secure, lights out, exits locked				X	
DISH MACHINE	Temperature				Wash 150+ Rinse 180+
Temperature according to manufacturer's specifications	Breakfast				150 180
and chemical agent used in Final Rinse	Lunch				155 186
	Dinner				154 186
POT and PAN SINK	Temperature				Wash 110 °F+ Rinse 110 °F+ 200 ppm
Final Rinse Temps determined by chemical agent used	Breakfast				110 112 200ppm
	Lunch				112 115 200ppm
	Dinner				111 114 200ppm
FREEZER and WALK-IN	Temperature				Freezer 0°F or below Walk-in 35-40 °F Walk-in 2 35-40 °F
Record temperatures, Freezer and Walk-ins	AM				-8.5 36.4 36.3
Record temperatures, Freezer and Walk-ins	PM				-4.6 38.1 37
DRY STORAGE	Temperature 45-80 °F				Spice Room Store Rm
Record temperatures Dry Storage Areas	AM				68 68
Record temperatures, Dry Storage Areas	PM				70 71
Water Temps & Handwash Areas	AM 105-120 °F	PM 105-120 °F			
	110	111			

Signature, Cook Supervisor (AM)

DATE

Signature, Cook Supervisor (PM)

FOOD SERVICE MANAGER

DATE

7.30.2021

GEO Aurora ICE
3130 N. Oakland St

8/2/2021
6:52:16 AM BCU

Temperature
°F

A-1	71.71
A-2	71.41
A-3	71.71
A-4	71.12
B-1	71.41
B-2	71.71
B-3	71.12
B-4	71.21
C-1	71.41
C-2	71.80
C-3	71.71
C-4	71.80
E-1	71.41
E-2	71.71
D-1	68.90
ISOLATION	69.71
PATIENT ROOM	73.01
INTAKE/RECEIVING	72.02
Tank Temp S-12	71.28
Present Value	
BOILER-3	130.96
Universal Input[1]	
LAUNDRY ROOM MAU-2 and BOILER-4	169.41
Universal Input[13]	



Monday, August 02, 2021 North Building Temperature Log

195 Aurora Detention Center
3130 Oakland St.
Aurora, CO 80010

Date	Unit	Dayroom	Shower #1	Shower #2	Shower #3	Shower #4	Shower #5	Shower #6	Shower #7
8-2-21	A-1	104.2							
	A-2	104.2							
	A-3	104.2							
	A-4	104.3							
	B-1	104.2							
	B-2	104.3							
	B-3	104.1							
	B-4	104.2							
	C-1	104.5							
	C-2	104.5							
	C-3	104.5							
	C-4	104.5							
	D-1	104.1					N/A	N/A	N/A
	D-2						N/A	N/A	N/A
	E-1	104.1					N/A	N/A	N/A
	E-2	104.1							
	Phy Therapy	N/A		N/A	N/A	N/A	N/A	N/A	N/A
	Intake	N/A			N/A	N/A	N/A	N/A	N/A

PRINT: Scam Hansen

SIGN: [Signature]

Write Legibly

Medical Showers Temperature Log								
Name: _____								Date: _____
ROOM	542	540	538	536	534	523	522	Tub Room
Air:	74.2	73.9	74.3	72.9	73.5	73.4	73.5	
Water:	104.1	104.2	104.1	104.1	104.1	104.1	104.2	

Temperature Taken with a Fluke Mod 52 Digital Thermometer



Temperature Log South Building

195 Aurora Detention Center
11901 East 30th Street
Aurora, CO 80010

Date: Monday, August 02, 2021

	Unit	AIR	WATER/sink	Shower #1	Shower #2
8-2-21	South-A	72.1	104.1		
	South-B	70.9	occupied		
	South-C	70.3	occupied		
	South-D	72.3	104.2		
	South-E	72.2	occupied		
	South-F	73.3	occupied		
	South-G	71.9	104.1		
	South-L	73.1	103.9		
	South-M	73.5	104.1		
	South-N	74.1	occupied		
	South-X	71.9	104.2		
	South-Y	72.1	104.2		
	South-Z	72.5	occupied		
	South SMU	72.7	104.9		
	South SMU Shower 3				N/A
	MED ISO- Room 1	72.1	104.1	N/A	N/A
	MED ISO- Room 2	72.3	104.1	N/A	N/A
	MED ISO- Room 3	72.1	104.1	N/A	N/A
	MEDICAL	N/A	N/A		

PRINT: Sean Hansen

SIGN: [Signature]

Write Legibly

Temperature is taken with a Fluke Mod 52 Digital Thermometer